	Type	Ref #	Hits	Search Text	DBs
1	BRS	S1	219	(global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
2	BRS	S2	6	(global adj queue$2) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
3	BRS	S3	12	S1 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
4	BRS	S4	11	S3 state$2	US-PGPUB; USPAT; USOCR; IBM_TDB
5	BRS	S5	11	S4 end	US-PGPUB; USPAT; USOCR; IBM_TDB
6	BRS	S6	48	(multiprocessor. or multi-processor) (global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
7	BRS	S7	5	S6 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
8	BRS	S8	2	S7 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
9	BRS	S9	166	(multiprocessor or multi-processor) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
10	BRS	S12	1	S11 lock unlock	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
11	BRS	S13	23	("4658351" | "4847754" | "4908750" | "5222217" | "5313638" | "5333269" | "5371850" | "5404562" | "5548760" | "5577211" | "5602998" | "5841973" | "5893157" | "5895492" | "5895494" | "5925099" | "6029205" | "6058389" | "6134619" | "6247064" | "6314501" | "6345327" | "6345329").PN. OR ("6976260").URPN.	US-PGPUB; USPAT; USOCR
12	BRS	S14	3	S13 lock unlock	US-PGPUB; USPAT; USOCR
13	BRS	S11	12	S10 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
14	BRS	S10	26	S9 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
15	BRS	S15	0	S10 unblock	US-PGPUB; USPAT; USOCR; IBM_TDB
16	BRS	S16	4	("6128672" | "6243778" | "6480918" | "6668291").PN. OR ("6965961").URPN.	US-PGPUB; USPAT; USOCR
17	BRS	S17	1	"6324670".PN.	US-PGPUB; USPAT; USOCR; IBM_TDB
18	BRS	S20	12	S18 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
19	BRS	S21	11	S20 state$2	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
20	BRS	S23	48	(multiprocessor or multi-processor) (global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
21	BRS	S27	26	S26 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
22	BRS	S28	12	S27 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
23	BRS	S34	0	S27 unblock	US-PGPUB; USPAT; USOCR; IBM_TDB
24	BRS	S29	1	S28 lock unlock	US-PGPUB; USPAT; USOCR; IBM_TDB
25	BRS	S36	1	"6324670".PN.	US-PGPUB; USPAT; USOCR; IBM_TDB
26	BRS	S19	6	(global adj queue$2) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
27	BRS	S22	11	S21 end	US-PGPUB; USPAT; USOCR; IBM_TDB
28	BRS	S24	5	S23 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
29	BRS	S25	2	S24 remove	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
30	BRS	S30	23	("4658351" | "4847754" | "4908750" | "5222217" | "5313638" | "5333269" | "5371850" | "5404562" | "5548760" | "5577211" | "5602998" | "5841973" | "5893157" | "5895492" | "5895494" | "5925099" | "6029205" | "6058389" | "6134619" | "6247064" | "6314501" | "6345327" | "6345329").PN. OR ("6976260").URPN.	US-PGPUB; USPAT; USOCR
31	BRS	S31	3	S30 lock unlock	US-PGPUB; USPAT; USOCR
32	BRS	S32	12	S27 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
33	BRS	S33	26	S26 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
34	BRS	S35	4	("6128672" | "6243778" | "6480918" | "6668291").PN. OR ("6965961").URPN.	US-PGPUB; USPAT; USOCR
35	BRS	S26	166	(multiprocessor or multi-processor) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
36	BRS	S18	219	(global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
37	BRS	S37	165	(multiprocessor or multi-processor) queue (main adj processor) add	US-PGPUB; USPAT; USOCR; IBM_TDB
38	BRS	S38	19	(multiprocessor or multi-processor) queue (main adj processor) add head tail	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
39	BRS	S39	7	(multiprocessor or multi-processor) queue (main adj processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
40	BRS	S40	0	S39 enqueue	US-PGPUB; USPAT; USOCR; IBM_TDB
41	BRS	S41	7	(multiprocessor or multi-processor) (linked adj list$2) (main adj processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
42	BRS	S42	13	(multiprocessor or multi-processor) (linked adj list$2) (coprocessor or co-processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
43	BRS	S43	86	(multiprocessor or multi-processor) (linked adj list$2) (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
44	BRS	S44	83	(multiprocessor or multi-processor) (linked adj list) (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
45	BRS	S45	12	(multiprocessor or multi-processor) (linked adj list) (head adj pointer) tail enqueue	US-PGPUB; USPAT; USOCR; IBM_TDB
46	BRS	S46	76	(multiprocessor or multi-processor) (linked adj list) (main adj processor)	US-PGPUB; USPAT; USOCR; IBM_TDB
47	BRS	S50	11	S49 state$2	US-PGPUB; USPAT; USOCR; IBM_TDB
48	BRS	S49	12	S47 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
49	BRS	S65	1	"6324670".PN.	US-PGPUB; USPAT; USOCR; IBM_TDB
50	BRS	S75	1	"6324670".PN.	US-PGPUB; USPAT; USOCR; IBM_TDB
51	BRS	S48	6	(global adj queue$2) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
52	BRS	S72	12	S71 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
53	BRS	S73	0	S71 unblock	US-PGPUB; USPAT; USOCR; IBM_TDB
54	BRS	S51	11	S50 end	US-PGPUB; USPAT; USOCR; IBM_TDB
55	BRS	S55	166	(multiprocessor or multi- processor) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
56	BRS	S61	12	S56 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
57	BRS	S79	2	S78 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
58	BRS	S53	5	S52 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
59	BRS	S95	12	(multiprocessor or multi- processor) (linked adj list) (head adj pointer) tail enqueue	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
60	BRS	S80	23	("4658351" | "4847754" | "4908750" | "5222217" | "5313638." | "5333269" | "5371850" | "5404562" | "5548760" | "5577211" | "5602998" | "5841973" | "5893157" | "5895492" | "5895494" | "5925099" | "6029205" | "6058389" | "6134619" | "6247064" | "6314501" | "6345327" | "6345329").PN. OR ("6976260").URPN.	US-PGPUB; USPAT; USOCR
61	BRS	S71	26	S70 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
62	BRS	S83	26	S70 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
63	BRS	S64	4	("6128672" | "6243778" | "6480918" | "6668291").PN. OR ("6965961").URPN.	US-PGPUB; USPAT; USOCR
64	BRS	S57	12	S56 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
65	BRS	S78	5	S69 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
66	BRS	S87	165	(multiprocessor or multi-processor) queue (main adj processor) add	US-PGPUB; USPAT; USOCR; IBM_TDB
67	BRS	S74	1	S72 lock unlock	US-PGPUB; USPAT; USOCR; IBM_TDB
68	BRS	S96	76	(multiprocessor or multi-processor) (linked adj list) (main adj processor)	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
69	BRS	S77	11	S68 end	US-PGPUB; USPAT; USOCR; IBM_TDB
70	BRS	S67	12	S66 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
71	BRS	S92	13	(multiprocessor or multi-processor) (linked adj list$2) (coprocessor or co-processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
72	BRS	S93	86	(multiprocessor or multi-processor) (linked adj list$2) (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
73	BRS	S68	11	S67 state$2	US-PGPUB; USPAT; USOCR; IBM_TDB
74	BRS	S69	48	(multiprocessor or multi-processor) (global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
75	BRS	S59	23	("4658351" | "4847754" | "4908750" | "5222217" | "5313638" | "5333269" | "5371850" | "5404562" | "5548760" | "5577211" | "5602998" | "5841973" | "5893157" | "5895492" | "5895494" | "5925099" | "6029205" | "6058389" | "6134619" | "6247064" | "6314501" | "6345327" | "6345329").PN. OR ("6976260").URPN.	US-PGPUB; USPAT; USOCR
76	BRS	S66	220	(global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
77	BRS	S56	26	S55 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
78	BRS	S58	1	S57 lock unlock	US-PGPUB; USPAT; USOCR; IBM_TDB
79	BRS	S81	3	S80 lock unlock	US-PGPUB; USPAT; USOCR
80	BRS	S47	220	(global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
81	BRS	S86	220	(global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
82	BRS	S85	166	(multiprocessor or multi-processor) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
83	BRS	S89	7	(multiprocessor or multi-processor) queue (main adj processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
84	BRS	S91	7	(multiprocessor or multi-processor) (linked adj list$2) (main adj processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
85	BRS	S76	6	(global adj queue$2) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
86	BRS	S54	2	S53 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
87	BRS	S70	166	(multiprocessor or multi-processor) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
88	BRS	S90	0	S89 enqueue	US-PGPUB; USPAT; USOCR; IBM_TDB
89	BRS	S94	83	(multiprocessor or multi-processor) (linked adj list) (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
90	BRS	S62	26	S55 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
91	BRS	S63	0	S56 unblock	US-PGPUB; USPAT; USOCR; IBM_TDB
92	BRS	S84	4	("6128672" | "6243778" | "6480918" | "6668291").PN. OR ("6965961").URPN.	US-PGPUB; USPAT; USOCR
93	BRS	S88	19	(multiprocessor or multi-processor) queue (main adj processor) add head tail	US-PGPUB; USPAT; USOCR; IBM_TDB
94	BRS	S82	12	S71 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
95	BRS	S52	48	(multiprocessor or multi-processor) (global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
96	BRS	S60	3	S59 lock unlock	US-PGPUB; USPAT; USOCR
97	BRS	S98	8	(global adj queue$2) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
98	BRS	S99	14	S97 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
99	BRS	S100	13	S99 state$2	US-PGPUB; USPAT; USOCR; IBM_TDB
100	BRS	S101	13	S100 end	US-PGPUB; USPAT; USOCR; IBM_TDB
101	BRS	S102	57	(multiprocessor or multi-processor) (global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
102	BRS	S103	5	S102 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
103	BRS	S104	2	S103 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
104	BRS	S105	197	(multiprocessor or multi-processor) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
105	BRS	S106	30	S105 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
106	BRS	S107	12	S106 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
107	BRS	S108	1	S107 lock unlock	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
108	BRS	S109	23	("4658351" | "4847754" | "4908750" | "5222217" | "5313638" | "5333269" | "5371850" | "5404562" | "5548760" | "5577211" | "5602998" | "5841973" | "5893157" | "5895492" | "5895494" | "5925099" | "6029205" | "6058389" | "6134619" | "6247064" | "6314501" | "6345327" | "6345329").PN. OR ("6976260").URPN.	US-PGPUB; USPAT; USOCR
109	BRS	S110	3	S109 lock unlock	US-PGPUB; USPAT; USOCR
110	BRS	S111	0	S106 unblock	US-PGPUB; USPAT; USOCR; IBM_TDB
111	BRS	S112	4	("6128672" | "6243778" | "6480918" | "6668291").PN. OR ("6965961").URPN.	US-PGPUB; USPAT; USOCR
112	BRS	S113	1	"6324670".PN.	US-PGPUB; USPAT; USOCR; IBM_TDB
113	BRS	S114	258	(global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
114	BRS	S115	14	S114 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
115	BRS	S116	13	S115 state$2	US-PGPUB; USPAT; USOCR; IBM_TDB
116	BRS	S117	57	(multiprocessor or multi-processor) (global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
117	BRS	S118	197	(multiprocessor or multi-processor) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
118	BRS	S119	30	S118 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
119	BRS	S120	12	S119 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
120	BRS	S121	0	S119 unblock	US-PGPUB; USPAT; USOCR; IBM_TDB
121	BRS	S122	1	S120 lock unlock	US-PGPUB; USPAT; USOCR; IBM_TDB
122	BRS	S123	1	"6324670".PN.	US-PGPUB; USPAT; USOCR; IBM_TDB
123	BRS	S124	8	(global adj queue$2) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
124	BRS	S125	13	S116 end	US-PGPUB; USPAT; USOCR; IBM_TDB
125	BRS	S126	5	S117 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
126	BRS	S127	2	S126 remove	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
127	BRS	S128	23	("4658351" | "4847754" | "4908750" | "5222217" | "5313638" | "5333269" | "5371850" | "5404562" | "5548760" | "5577211" | "5602998" | "5841973" | "5893157" | "5895492" | "5895494" | "5925099" | "6029205" | "6058389" | "6134619" | "6247064" | "6314501" | "6345327" | "6345329").PN. OR ("6976260").URPN.	US-PGPUB; USPAT; USOCR
128	BRS	S129	3	S128 lock unlock	US-PGPUB; USPAT; USOCR
129	BRS	S130	12	S119 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
130	BRS	S131	30	S118 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
131	BRS	S132	4	("6128672" | "6243778" | "6480918" | "6668291").PN. OR ("6965961").URPN.	US-PGPUB; USPAT; USOCR
132	BRS	S133	192	(multiprocessor or multi-processor) queue (main adj processor) add	US-PGPUB; USPAT; USOCR; IBM_TDB
133	BRS	S134	25	(multiprocessor or multi-processor) queue (main adj processor) add head tail	US-PGPUB; USPAT; USOCR; IBM_TDB
134	BRS	S135	8	(multiprocessor or multi-processor) queue (main adj processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
135	BRS	S136	0	S135 enqueue	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
136	BRS	S137	7	(multiprocessor or multi-processor) (linked adj list$2) (main adj processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
137	BRS	S138	14	(multiprocessor or multi-processor) (linked adj list$2) (coprocessor or co-processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
138	BRS	S146	1	"6324670".PN.	US-PGPUB; USPAT; USOCR; IBM_TDB
139	BRS	S145	13	S144 state$2	US-PGPUB; USPAT; USOCR; IBM_TDB
140	BRS	S144	14	S143 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
141	BRS	S139	97	(multiprocessor or multi-processor) (linked adj list$2) (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
142	BRS	S140	94	(multiprocessor or multi-processor) (linked adj list) (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
143	BRS	S141	13	(multiprocessor or multi-processor) (linked adj list) (head adj pointer) tail enqueue	US-PGPUB; USPAT; USOCR; IBM_TDB
144	BRS	S143	258	(global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
145	BRS	S142	83	(multiprocessor or multi-processor) (linked adj list) (main adj processor)	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
146	BRS	S147	1	"6324670".PN.	US-PGPUB; USPAT; USOCR; IBM_TDB
147	BRS	S148	8	(global adj queue$2) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
148	BRS	S149	197	(multiprocessor or multi-processor) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
149	BRS	S150	30	S149 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
150	BRS	S151	12	S150 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
151	BRS	S152	0	S150 unblock	US-PGPUB; USPAT; USOCR; IBM_TDB
152	BRS	S154	197	(multiprocessor or multi-processor) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
153	BRS	S153	13	S145 end	US-PGPUB; USPAT; USOCR; IBM_TDB
154	BRS	S155	30	S154 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
155	BRS	S156	12	S155 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
156	BRS	S157	57	(multiprocessor or multi-processor) (global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
157	BRS	S158	5	S157 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
158	BRS	S159	2	S158 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
159	BRS	S160	57	(multiprocessor or multi-processor) (global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
160	BRS	S161	5	S160 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
161	BRS	S162	13	(multiprocessor or multi-processor) (linked adj list) (head adj pointer) tail enqueue	US-PGPUB; USPAT; USOCR; IBM_TDB
162	BRS	S163	23	("4658351" | "4847754" | "4908750" | "5222217" | "5313638" | "5333269" | "5371850" | "5404562" | "5548760" | "5577211" | "5602998" | "5841973" | "5893157" | "5895492" | "5895494" | "5925099" | "6029205" | "6058389" | "6134619" | "6247064" | "6314501" | "6345327" | "6345329").PN. OR ("6976260").URPN.	US-PGPUB; USPAT; USOCR
163	BRS	S164	30	S149 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
164	BRS	S165	4	("6128672" | "6243778" | "6480918" | "6668291").PN. OR ("6965961").URPN.	US-PGPUB; USPAT; USOCR
165	BRS	S166	12	S155 remove	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
166	BRS	S167	192	(multiprocessor or multi-processor) queue (main adj processor) add	US-PGPUB; USPAT; USOCR; IBM_TDB
167	BRS	S168	1	S151 lock unlock	US-PGPUB; USPAT; USOCR; IBM_TDB
168	BRS	S169	83	(multiprocessor or multi-processor) (linked adj list) (main adj processor)	US-PGPUB; USPAT; USOCR; IBM_TDB
169	BRS	S170	258	(global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
170	BRS	S171	14	S170 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
171	BRS	S172	13	S171 state$2	US-PGPUB; USPAT; USOCR; IBM_TDB
172	BRS	S173	13	S172 end	US-PGPUB; USPAT; USOCR; IBM_TDB
173	BRS	S174	14	(multiprocessor or multi-processor) (linked adj list$2) (coprocessor or co-processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
174	BRS	S175	97	(multiprocessor or multi-processor) (linked adj list$2) (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
175	BRS	S176	23	("4658351" | "4847754" | "4908750" | "5222217" | "5313638" | "5333269" | "5371850" | "5404562" | "5548760" | "5577211" | "5602998" | "5841973" | "5893157" | "5895492" | "5895494" | "5925099" | "6029205" | "6058389" | "6134619" | "6247064" | "6314501" | "6345327" | "6345329").PN. OR ("6976260").URPN.	US-PGPUB; USPAT; USOCR
176	BRS	S177	1	S166 lock unlock	US-PGPUB; USPAT; USOCR; IBM_TDB
177	BRS	S178	3	S163 lock unlock	US-PGPUB; USPAT; USOCR
178	BRS	S179	258	(global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
179	BRS	S180	197	(multiprocessor or multi-processor) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
180	BRS	S181	8	(multiprocessor or multi-processor) queue (main adj processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
181	BRS	S182	7	(multiprocessor or multi-processor) (linked adj list$2) (main adj processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
182	BRS	S183	8	(global adj queue$2) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
183	BRS	S184	2	S161 remove	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
184	BRS	S185	0	S181 enqueue	US-PGPUB; USPAT; USOCR; IBM_TDB
185	BRS	S186	94	(multiprocessor or multi-processor) (linked adj list) (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
186	BRS	S187	30	S154 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
187	BRS	S188	0	S155 unblock	US-PGPUB; USPAT; USOCR; IBM_TDB
188	BRS	S189	4	("6128672" | "6243778" | "6480918" | "6668291").PN. OR ("6965961").URPN.	US-PGPUB; USPAT; USOCR
189	BRS	S190	25	(multiprocessor or multi-processor) queue (main adj processor) add head tail	US-PGPUB; USPAT; USOCR; IBM_TDB
190	BRS	S191	12	S150 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
191	BRS	S192	3	S176 lock unlock	US-PGPUB; USPAT; USOCR
192	BRS	S195	7	((linked adj list$2) near3 locked) locked	US-PGPUB; USPAT; USOCR; IBM_TDB
193	BRS	S196	0	((linked adj list$2) near3 locked) (locked near5 (enqueue or add))	US-PGPUB; USPAT; USOCR; IBM_TDB
194	BRS	S197	2	((linked adj list$2) near3 locked) (lock$4 near5 (enqueue or add))	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
195	BRS	S194	7	((linked adj list$2) near3 locked)	US-PGPUB; USPAT; USOCR; IBM_TDB
196	BRS	S193	1826	(linked adj list$2) locked	US-PGPUB; USPAT; USOCR; IBM_TDB
197	BRS	S97	258	(global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
198	BRS	S339	14	S338 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
199	BRS	S226	8	(global adj queue$2) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
200	BRS	S340	13	S339 state$2	US-PGPUB; USPAT; USOCR; IBM_TDB
201	BRS	S342	94	(multiprocessor or multi-processor) (linked adj list) (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
202	BRS	S276	14	(multiprocessor or multi-processor) (linked adj list$2) (coprocessor or co-processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
203	BRS	S391	7	((linked adj list$2) near3 locked) locked	US-PGPUB; USPAT; USOCR; IBM_TDB
204	BRS	S401	0	henriksen-dana.in.	US-PGPUB; USPAT; USOCR; IBM_TDB
205	BRS	S241	97	(multiprocessor or multi-processor) (linked adj list$2) (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
206	BRS	S265	23	("4658351" | "4847754" | "4908750" | "5222217" | "5313638" | "5333269" | "5371850" | "5404562" | "5548760" | "5577211" | "5602998" | "5841973" | "5893157" | "5895492" | "5895494" | "5925099" | "6029205" | "6058389" | "6134619" | "6247064" | "6314501" | "6345327" | "6345329").PN. OR ("6976260").URPN.	US-PGPUB; USPAT; USOCR
207	BRS	S278	23	("4658351" | "4847754" | "4908750" | "5222217" | "5313638" | "5333269" | "5371850" | "5404562" | "5548760" | "5577211" | "5602998" | "5841973" | "5893157" | "5895492" | "5895494" | "5925099" | "6029205" | "6058389" | "6134619" | "6247064" | "6314501" | "6345327" | "6345329").PN. OR ("6976260").URPN.	US-PGPUB; USPAT; USOCR
208	BRS	S310	4	("6128672" | "6243778" | "6480918" | "6668291").PN. OR ("6965961").URPN.	US-PGPUB; USPAT; USOCR
209	BRS	S322	8	(global adj queue$2) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
210	BRS	S283	8	(multiprocessor or multi-processor) queue (main adj processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
211	BRS	S284	7	(multiprocessor or multi-processor) (linked adj list$2) (main adj processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
212	BRS	S240	14	(multiprocessor or multi-processor) (linked adj list$2) (coprocessor or co-processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
213	BRS	S356	5	S355 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
214	BRS	S346	8	(global adj queue$2) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
215	BRS	S308	3	S307 lock unlock	US-PGPUB; USPAT; USOCR
216	BRS	S280	3	S265 lock unlock	US-PGPUB; USPAT; USOCR
217	BRS	S364	12	S353 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
218	BRS	S304	30	S303 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
219	BRS	S334	0	S333 enqueue	US-PGPUB; USPAT; USOCR; IBM_TDB
220	BRS	S348	30	S347 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
221	BRS	S349	12	S348 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
222	BRS	S350	0	S348 unblock	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
223	BRS	S353	30	S351 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
224	BRS	S243	13	(multiprocessor or multi-processor) (linked adj list) (head adj pointer) tail enqueue	US-PGPUB; USPAT; USOCR; IBM_TDB
225	BRS	S311	1	"6324670".PN.	US-PGPUB; USPAT; USOCR; IBM_TDB
226	BRS	S320	1	S318 lock unlock	US-PGPUB; USPAT; USOCR; IBM_TDB
227	BRS	S200	8	(global adj queue$2) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
228	BRS	S205	5	S204 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
229	BRS	S375	1	S364 lock unlock	US-PGPUB; USPAT; USOCR; IBM_TDB
230	BRS	S337	1	"6324670".PN.	US-PGPUB; USPAT; USOCR; IBM_TDB
231	BRS	S345	1	"6324670".PN.	US-PGPUB; USPAT; USOCR; IBM_TDB
232	BRS	S366	1	S349 lock unlock	US-PGPUB; USPAT; USOCR; IBM_TDB
233	BRS	S301	5	S300 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
234	BRS	S321	1	"6324670".PN.	US-PGPUB; USPAT; USOCR; IBM_TDB
235	BRS	S269	192	(multiprocessor or multi-processor) queue (main adj processor) add	US-PGPUB; USPAT; USOCR; IBM_TDB
236	BRS	S232	12	S221 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
237	BRS	S233	30	S220 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
238	BRS	S368	258	(global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
239	BRS	S372	14	(multiprocessor or multi-processor) (linked adj list$2) (coprocessor or co-processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
240	BRS	S259	57	(multiprocessor or multi-processor) (global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
241	BRS	S392	0	((linked adj list$2) near3 locked) (locked near5 (enqueue or add))	US-PGPUB; USPAT; USOCR; IBM_TDB
242	BRS	S386	0	S353 unblock	US-PGPUB; USPAT; USOCR; IBM_TDB
243	BRS	S257	30	S256 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
244	BRS	S252	30	S251 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
245	BRS	S208	30	S207 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
246	BRS	S355	57	(multiprocessor or multi-processor) (global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
247	BRS	S360	13	(multiprocessor or multi-processor) (linked adj list) (head adj pointer) tail enqueue	US-PGPUB; USPAT; USOCR; IBM_TDB
248	BRS	S260	5	S259 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
249	BRS	S255	13	S247 end	US-PGPUB; USPAT; USOCR; IBM_TDB
250	BRS	S263	5	S262 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
251	BRS	S383	0	S379 enqueue	US-PGPUB; USPAT; USOCR; IBM_TDB
252	BRS	S239	7	(multiprocessor or multi-processor) (linked adj list$2) (main adj processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
253	BRS	S306	1	S305 lock unlock	US-PGPUB; USPAT; USOCR; IBM_TDB
254	BRS	S373	97	(multiprocessor or multi-processor) (linked adj list$2) (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
255	BRS	S210	1	S209 lock unlock	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
256	BRS	S211	23	("4658351" | "4847754" | "4908750" | "5222217" | "5313638" | "5333269" | "5371850" | "5404562" | "5548760" | "5577211" | "5602998" | "5841973" | "5893157" | "5895492" | "5895494" | "5925099" | "6029205" | "6058389" | "6134619" | "6247064" | "6314501" | "6345327" | "6345329").PN. OR ("6976260").URPN.	US-PGPUB; USPAT; USOCR
257	BRS	S295	8	(global adj queue$2) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
258	BRS	S379	8	(multiprocessor or multi-processor) queue (main adj processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
259	BRS	S380	7	(multiprocessor or multi-processor) (linked adj list$2) (main adj processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
260	BRS	S266	30	S251 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
261	BRS	S277	97	(multiprocessor or multi-processor) (linked adj list$2) (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
262	BRS	S324	5	S315 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
263	BRS	S293	12	S252 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
264	BRS	S294	3	S278 lock unlock	US-PGPUB; USPAT; USOCR

	Type	Ref #	Hits	Search Text	DBs
265	BRS	S286	2	S263 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
266	BRS	S289	30	S256 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
267	BRS	S381	8	(global adj queue$2) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
268	BRS	S318	12	S317 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
269	BRS	S302	2	S301 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
270	BRS	S370	13	S369 state$2	US-PGPUB; USPAT; USOCR; IBM_TDB
271	BRS	S299	13	S298 end	US-PGPUB; USPAT; USOCR; IBM_TDB
272	BRS	S323	13	S314 end	US-PGPUB; USPAT; USOCR; IBM_TDB
273	BRS	S362	30	S347 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
274	BRS	S363	4	("6128672" | "6243778" | "6480918" | "6668291").PN. OR ("6965961").URPN.	US-PGPUB; USPAT; USOCR
275	BRS	S367	83	(multiprocessor or multi-processor) (linked adj list) (main adj processor)	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
276	BRS	S385	30	S351 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
277	BRS	S369	14	S368 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
278	BRS	S352	13	S340 end	US-PGPUB; USPAT; USOCR; IBM_TDB
279	BRS	S357	2	S356 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
280	BRS	S234	4	("6128672" | "6243778" | "6480918" | "6668291").PN. OR ("6965961").URPN.	US-PGPUB; USPAT; USOCR
281	BRS	S236	25	(multiprocessor or multi-processor) queue (main adj processor) add head tail	US-PGPUB; USPAT; USOCR; IBM_TDB
282	BRS	S198	1	"5,966,547".pn.	US-PGPUB; USPAT; USOCR; IBM_TDB
283	BRS	S395	1826	(linked adj list$2) locked	US-PGPUB; USPAT; USOCR; IBM_TDB
284	BRS	S305	12	S304 remove	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
285	BRS	S307	23	("4658351" | "4847754" | "4908750" | "5222217" | "5313638" | "5333269" | "5371850" | "5404562" | "5548760" | "5577211" | "5602998" | "5841973" | "5893157" | "5895492" | "5895494" | "5925099" | "6029205" | "6058389" | "6134619" | "6247064" | "6314501" | "6345327" | "6345329").PN. OR ("6976260").URPN.	US-PGPUB; USPAT; USOCR
286	BRS	S206	2	S205 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
287	BRS	S203	13	S202 end	US-PGPUB; USPAT; USOCR; IBM_TDB
288	BRS	S215	1	"6324670".PN.	US-PGPUB; USPAT; USOCR; IBM_TDB
289	BRS	S224	1	S222 lock unlock	US-PGPUB; USPAT; USOCR; IBM_TDB
290	BRS	S279	1	S268 lock unlock	US-PGPUB; USPAT; USOCR; IBM_TDB
291	BRS	S225	1	"6324670".PN.	US-PGPUB; USPAT; USOCR; IBM_TDB
292	BRS	S248	1	"6324670".PN.	US-PGPUB; USPAT; USOCR; IBM_TDB
293	BRS	S249	1	"6324670".PN.	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
294	BRS	S270	1	S253 lock unlock	US-PGPUB; USPAT; USOCR; IBM_TDB
295	BRS	S354	12	S353 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
296	BRS	S361	23	("4658351" | "4847754" | "4908750" | "5222217" | "5313638" | "5333269" | "5371850" | "5404562" | "5548760" | "5577211" | "5602998" | "5841973" | "5893157" | "5895492" | "5895494" | "5925099" | "6029205" | "6058389" | "6134619" | "6247064" | "6314501" | "6345327" | "6345329").PN. OR ("6976260").URPN.	US-PGPUB; USPAT; USOCR
297	BRS	S371	13	S370 end	US-PGPUB; USPAT; USOCR; IBM_TDB
298	BRS	S212	3	S211 lock unlock	US-PGPUB; USPAT; USOCR
299	BRS	S365	192	(multiprocessor or multi-processor) queue (main adj processor) add	US-PGPUB; USPAT; USOCR; IBM_TDB
300	BRS	S347	197	(multiprocessor or multi-processor) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
301	BRS	S387	4	("6128672" | "6243778" | "6480918" | "6668291").PN. OR ("6965961").URPN.	US-PGPUB; USPAT; USOCR
302	BRS	S343	13	(multiprocessor or multi-processor) (linked adj list) (head adj pointer) tail enqueue	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
303	BRS	S261	2	S260 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
304	BRS	S228	5	S219 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
305	BRS	S358	57	(multiprocessor or multi-processor) (global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
306	BRS	S388	25	(multiprocessor or multi-processor) queue (main adj processor) add head tail	US-PGPUB; USPAT; USOCR; IBM_TDB
307	BRS	S389	12	S348 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
308	BRS	S390	3	S374 lock unlock	US-PGPUB; USPAT; USOCR
309	BRS	S209	12	S208 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
310	BRS	S394	7	((linked adj list$2) near3 locked)	US-PGPUB; USPAT; USOCR; IBM_TDB
311	BRS	S359	5	S358 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
312	BRS	S291	4	("6128672" | "6243778" | "6480918" | "6668291").PN. OR ("6965961").URPN.	US-PGPUB; USPAT; USOCR
313	BRS	S292	25	(multiprocessor or multi-processor) queue (main adj processor) add head tail	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
314	BRS	S393	2	((linked adj list$2) near3 locked) (lock$4 near5 (enqueue or add))	US-PGPUB; USPAT; USOCR; IBM_TDB
315	BRS	S382	2	S359 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
316	BRS	S374	23	("4658351" | "4847754" | "4908750" | "5222217" | "5313638" | "5333269" | "5371850" | "5404562" | "5548760" | "5577211" | "5602998" | "5841973" | "5893157" | "5895492" | "5895494" | "5925099" | "6029205" | "6058389" | "6134619" | "6247064" | "6314501" | "6345327" | "6345329").PN. OR ("6976260").URPN.	US-PGPUB; USPAT; USOCR
317	BRS	S344	83	(multiprocessor or multi-processor) (linked adj list) (main adj processor)	US-PGPUB; USPAT; USOCR; IBM_TDB
318	BRS	S207	197	(multiprocessor or multi-processor) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
319	BRS	S331	192	(multiprocessor or multi-processor) queue (main adj processor) add	US-PGPUB; USPAT; USOCR; IBM_TDB
320	BRS	S319	0	S317 unblock	US-PGPUB; USPAT; USOCR; IBM_TDB
321	BRS	S220	197	(multiprocessor or multi-processor) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
322	BRS	S256	197	(multiprocessor or multi-processor) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
323	BRS	S282	197	(multiprocessor or multi-processor) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
324	BRS	S303	197	(multiprocessor or multi-processor) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
325	BRS	S316	197	(multiprocessor or multi-processor) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
326	BRS	S351	197	(multiprocessor or multi-processor) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
327	BRS	S378	197	(multiprocessor or multi-processor) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
328	BRS	S199	258	(global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
329	BRS	S216	258	(global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
330	BRS	S245	258	(global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
331	BRS	S281	258	(global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
332	BRS	S312	258	(global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
333	BRS	S377	258	(global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
334	BRS	S396	2330	710/52.ccls. or 710/53.ccls. or 710/54.ccls.	US-PGPUB; USPAT; USOCR; IBM_TDB
335	BRS	S399	135	S398 head$2	US-PGPUB; USPAT; USOCR; IBM_TDB
336	BRS	S398	135	S397 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
337	BRS	S296	258	(global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
338	BRS	S338	258	(global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
339	BRS	S397	556	S396 pointer$2 queue$2	US-PGPUB; USPAT; USOCR; IBM_TDB
340	BRS	S400	38	S399 enqueu$4	US-PGPUB; USPAT; USOCR; IBM_TDB
341	BRS	S309	0	S304 unblock	US-PGPUB; USPAT; USOCR; IBM_TDB
342	BRS	S300	57	(multiprocessor or multi-processor) (global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
343	BRS	S402	3	henriksen-dana-m.in.	US-PGPUB; USPAT; USOCR; IBM_TDB
344	BRS	S317	30	S316 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
345	BRS	S315	57	(multiprocessor or multi-processor) (global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
346	BRS	S314	13	S313 state$2	US-PGPUB; USPAT; USOCR; IBM_TDB
347	BRS	S313	14	S312 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
348	BRS	S298	13	S297 state$2	US-PGPUB; USPAT; USOCR; IBM_TDB
349	BRS	S288	94	(multiprocessor or multi-processor) (linked adj list) (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
350	BRS	S274	13	S273 state$2	US-PGPUB; USPAT; USOCR; IBM_TDB
351	BRS	S273	14	S272 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
352	BRS	S290	0	S257 unblock	US-PGPUB; USPAT; USOCR; IBM_TDB
353	BRS	S297	14	S296 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
354	BRS	S287	0	S283 enqueue	US-PGPUB; USPAT; USOCR; IBM_TDB
355	BRS	S285	8	(global adj queue$2) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
356	BRS	S250	8	(global adj queue$2) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
357	BRS	S272	258	(global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
358	BRS	S268	12	S257 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
359	BRS	S254	0	S252 unblock	US-PGPUB; USPAT; USOCR; IBM_TDB
360	BRS	S246	14	S245 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
361	BRS	S238	0	S237 enqueue	US-PGPUB; USPAT; USOCR; IBM_TDB
362	BRS	S222	12	S221 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
363	BRS	S219	57	(multiprocessor or multi-processor) (global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
364	BRS	S218	13	S217 state$2	US-PGPUB; USPAT; USOCR; IBM_TDB
365	BRS	S262	57	(multiprocessor or multi-processor) (global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
366	BRS	S247	13	S246 state$2	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
367	BRS	S253	12	S252 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
368	BRS	S242	94	(multiprocessor or multi-processor) (linked adj list) (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
369	BRS	S251	197	(multiprocessor or multi-processor) queue.ti.	US-PGPUB; USPAT; USOCR; IBM_TDB
370	BRS	S221	30	S220 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
371	BRS	S235	192	(multiprocessor or multi-processor) queue (main adj processor) add	US-PGPUB; USPAT; USOCR; IBM_TDB
372	BRS	S223	0	S221 unblock	US-PGPUB; USPAT; USOCR; IBM_TDB
373	BRS	S217	14	S216 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
374	BRS	S214	4	("6128672" | "6243778" | "6480918" | "6668291").PN. OR ("6965961").URPN.	US-PGPUB; USPAT; USOCR
375	BRS	S229	2	S228 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
376	BRS	S244	83	(multiprocessor or multi-processor) (linked adj list) (main adj processor)	US-PGPUB; USPAT; USOCR; IBM_TDB
377	BRS	S376	3	S361 lock unlock	US-PGPUB; USPAT; USOCR

	Type	Ref #	Hits	Search Text	DBs
378	BRS	S202	13	S201 state$2	US-PGPUB; USPAT; USOCR; IBM_TDB
379	BRS	S264	13	(multiprocessor or multi-processor) (linked adj list) (head adj pointer) tail enqueue	US-PGPUB; USPAT; USOCR; IBM_TDB
380	BRS	S201	14	S199 tail head next	US-PGPUB; USPAT; USOCR; IBM_TDB
381	BRS	S231	3	S230 lock unlock	US-PGPUB; USPAT; USOCR
382	BRS	S204	57	(multiprocessor or multi-processor) (global adj queue$2)	US-PGPUB; USPAT; USOCR; IBM_TDB
383	BRS	S341	97	(multiprocessor or multi-processor) (linked adj list$2) (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
384	BRS	S213	0	S208 unblock	US-PGPUB; USPAT; USOCR; IBM_TDB
385	BRS	S237	8	(multiprocessor or multi-processor) queue (main adj processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
386	BRS	S230	23	("4658351" | "4847754" | "4908750" | "5222217" | "5313638" | "5333269" | "5371850" | "5404562" | "5548760" | "5577211" | "5602998" | "5841973" | "5893157" | "5895492" | "5895494" | "5925099" | "6029205" | "6058389" | "6134619" | "6247064" | "6314501" | "6345327" | "6345329").PN. OR ("6976260").URPN.	US-PGPUB; USPAT; USOCR

	Type	Ref #	Hits	Search Text	DBs
387	BRS	S328	12	S317 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
388	BRS	S329	30	S316 head tail end next	US-PGPUB; USPAT; USOCR; IBM_TDB
389	BRS	S227	13	S218 end	US-PGPUB; USPAT; USOCR; IBM_TDB
390	BRS	S336	14	(multiprocessor or multi-processor) (linked adj list$2) (coprocessor or co-processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
391	BRS	S335	7	(multiprocessor or multi-processor) (linked adj list$2) (main adj processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
392	BRS	S330	4	("6128672" | "6243778" | "6480918" | "6668291").PN. OR ("6965961").URPN.	US-PGPUB; USPAT; USOCR
393	BRS	S332	25	(multiprocessor or multi-processor) queue (main adj processor) add head tail	US-PGPUB; USPAT; USOCR; IBM_TDB
394	BRS	S333	8	(multiprocessor or multi-processor) queue (main adj processor) add (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
395	BRS	S267	4	("6128672" | "6243778" | "6480918" | "6668291").PN. OR ("6965961").URPN.	US-PGPUB; USPAT; USOCR
396	BRS	S271	83	(multiprocessor or multi-processor) (linked adj list) (main adj processor)	US-PGPUB; USPAT; USOCR; IBM_TDB
397	BRS	S275	13	S274 end	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	Ref #	Hits	Search Text	DBs
398	BRS	S327	3	S326 lock unlock	US-PGPUB; USPAT; USOCR
399	BRS	S326	23	("4658351" | "4847754" | "4908750" | "5222217" | "5313638" | "5333269" | "5371850" | "5404562" | "5548760" | "5577211" | "5602998" | "5841973" | "5893157" | "5895492" | "5895494" | "5925099" | "6029205" | "6058389" | "6134619" | "6247064" | "6314501" | "6345327" | "6345329").PN. OR ("6976260").URPN.	US-PGPUB; USPAT; USOCR
400	BRS	S325	2	S324 remove	US-PGPUB; USPAT; USOCR; IBM_TDB
401	BRS	S384	94	(multiprocessor or multi-processor) (linked adj list) (head adj pointer) tail	US-PGPUB; USPAT; USOCR; IBM_TDB
402	BRS	S258	12	S257 remove	US-PGPUB; USPAT; USOCR; IBM_TDB

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	2395	710/52,53,54.ccls.	US-PGPUB; USPAT